Atts Dockoliso: IVC-106A Chynn et al. LOCATION 3RD LOCATION 2ND LOCATION 1ST ITEMS G ITEMS D UPC_A ITEMS UPC_G UPC_D ITEMS E H HEMS B UPC_E UPC_B **UPCH** LOCATION
BAR CODE 3RD LOCATION
BAR CODE 2ND LOCATION BAR CODE 1ST 芯 ITEMS F **ITEMS** C UPCF **UPC**_C UPC₁ **PROCESSOR** BAR CODE READER 3 23 <u>ITEM</u> $\pm 0 \pm 0 \pm 0 \pm 0 \times$ DIRECTORY LOCATION

Alty Code (10) : TUC 1050

CONTENTER CAN CAN TO BE CARE IN CALLED

ATTACH UNIQUE ITEM-IDENTIFYING BAR CODES TO AT LEAST ONE OF EACH DIFFERENT ITEM FOR A 2 PLURALITY OF DIFFERENT ITEMS HAVING DIFFERENT LOCATIONS, E.G. UNIVERSAL PRICE CODES ATTACH UNIQUE LOCATION-IDENTIFYING BAR CODES PHYSICALLY TO AT LEAST ONE ITEM UNIT FOR EACH OF SAID PLURALITY OF DIFFERENT ITEMS WHICH CORRESPOND TO ACTUAL LOCATIONS READ ITEM-IDENTIFYING BAR CODES AND LOCATION-IDENTIFYING BAR CODES IN PRESET ORDERS TO CREATE PAIRS OF ITEM IDENTIFYING/CORRESPONDING LOCATION **IDENTIFYING INFORMATION DATA TO DEVELOP** ITEM/LOCATION VOCABULARY **INCLUDE IN** ₋10 MANAGER INPUTS (3) ON FIGURE 2B **UPDATE ABOVE** -8 AS NEEDED

FIG. 2A

3/3




FIG. 2B